

Serial No. 09/755,308
Art Unit No. 2671

LISTING OF CLAIMS

Sus B1

*A-1
Cont*

(1) (currently amended) A method for displaying program messages character strings on GUI environment as text file character strings provided by a computer program, comprising the steps of:

- (a) providing an executable program;
- (b) providing a text file including descriptions of text file said character strings and being openable with said executable program;
- (c) executing said executable program;
- (d) automatically opening the text file and retrieving said text file character strings from the executable program so that program messages can be generated as text file character strings; and

Serial No. 09/755,308

Art Unit No. 2671

(e) displaying program messages as text file the character strings included in the opened text file.

(2) (currently amended) The method of Claim 1 wherein said text file further includes a search key and wherein said opening and displaying comprise the steps of:

searching said search key;

retrieving the text file character strings in said text file when said search key enabled is detected in said searching;

displaying program messages in the retrieved text file character strings; and

displaying program messages in character strings embedded in said executable program when the search key disabled is detected in said searching.

(3) (canceled)

Serial No. 09/755,308
Art Unit No. 2671

(4) (canceled)

(5) (currently amended) A method for creating a computer program enabling program messages character strings to be displayed on GUI environment as text file character strings, including the steps of:

describing a code for providing said GUI environment;

describing a code for automatically opening a text file including said text file character strings; and

describing a code for displaying program message as character strings as described in said opened text file.

(6) (currently amended) A method for creating a computer program of Claim 5 further comprising describing a default character string and wherein said describing a code for opening a text file and said describing a code

Serial No. 09/755,308
Art Unit No. 2671

for displaying program messages as character strings
comprise the steps of:

describing a code for searching a search key of a text
file including a selected text file character string;
and

describing a code for displaying said selected text
file character string when said search key to be
enabled is detected and for displaying said default
character string when said search key of said text file
to be disabled is detected.

(7) (currently amended) A recording medium for recording a
computer program enabling program messages character
strings to be displayed on GUI environment as text file
character strings and enabling a computer to read said
recorded computer program, including:

a code for providing said GUI environment;

Serial No. 09/755,308
Art Unit No. 2671

a code for automatically opening a text file including
said text file character strings; and

a code for displaying program message as said character
strings as described in said opened text file.

AI
CMT

(8) (currently amended) The recording medium for recording
a computer program of Claim 7 further comprising a code
for providing a default character string and wherein
said code for opening comprises a code for searching a
search key of a text file including a selected text
file character string, and wherein said code for
displaying comprises a code for displaying said text
file selected character string when said search key to
be enabled is detected and a code for displaying said
default character string when said search key to be
disabled is detected.

(9) (currently amended) A method for creating a computer
program including control-related character strings,
including the steps of;

Serial No. 09/755,308

Art Unit No. 2671

(a) creating a text file describing said
control-related text file character strings; and

(b) creating a program file describing a code for
automatically opening said text file to generate
control related program messages as said text file
character strings.

A
Cmt

(10) (currently amended) The method for creating a computer
program of Claim 9 wherein said creating a text file
comprises creating a text file including a selected
control-related text file character string and a search
key; and, wherein said creating a program file
comprises creating a program file including a default
character string and a code for automatically shifting
control to said selected control-related text file
character string when said search key to be enabled is
detected and giving control to said default character
string when said search key to be disabled is detected.

Serial No. 09/755,308

Art Unit No. 2671

(11) (currently amended) A program storage device readable by machine tangibly embodying a program of instructions executable by the machine to perform a method to generate structure of a computer program including at least one control-related text file character string related to computer control, said method including the steps of:

a code for automatically opening a text file including said at least one control-related text file character string to generate control related program messages as said text file character strings; and

a code for using said at least one character string described in said opened text file to control said computer.

(12) (currently amended) The program storage device structure of a computer program of Claim 11 further comprising a default character string and wherein said code for opening a text file comprises a code for searching a search key of a text file including a

Serial No. 09/755,308

Art Unit No. 2671

selected control-related text file character string;
and wherein said code for using at least one character
string comprises a code for using said selected
control-related text file character string to control
said computer when said search key to be enabled is
detected and a code for using said default character
string to control said computer when said search key to
be disabled is detected.

*A /
Cncld*